

FIG.1




FIG.2




FIG.3




FIG.4

COMPARATIVE  
EXAMPLE 1




FIG.5




FIG.6




FIG.7




FIG.8




FIG.9




FIG.10




FIG.11




FIG.12

EXAMPLE 2




FIG.13




FIG.14




FIG.15




FIG.16

EXAMPLE 5






FIG.17




FIG.18




FIG.19




FIG.20




FIG.21

EXAMPLE 6

(DIAMETER OF CYLINDRICAL MEMBER: 7 mm)

POSITIVE ELECTRODE

CYLINDRICAL MEMBER





FIG.22

EXAMPLE 6

(DIAMETER OF CYLINDRICAL MEMBER: 5 mm)


POSITIVE ELECTRODE

CYLINDRICAL MEMBER



**FIG.23**

EXAMPLE 6  
(DIAMETER OF CYLINDRICAL MEMBER: 3 mm)




CYLINDRICAL MEMBER

POSITIVE ELECTRODE

**FIG.24**

EXAMPLE 6  
(DIAMETER OF CYLINDRICAL MEMBER: 2 mm)




POSITIVE ELECTRODE

CYLINDRICAL MEMBER

**FIG.25**

EXAMPLE 7  
(DIAMETER OF CYLINDRICAL MEMBER: 10 mm)



**FIG.26**

EXAMPLE 7  
(DIAMETER OF CYLINDRICAL MEMBER: 7 mm)




FIG.27

EXAMPLE 7  
(DIAMETER OF CYLINDRICAL MEMBER: 5 mm)




FIG.28

EXAMPLE 7  
(DIAMETER OF CYLINDRICAL MEMBER: 3 mm)

